

SAFETY DATA SHEET
GREEN VALLEY - FABRIC CONDITIONER

Page 1
Issued: 01/08/2008
Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: GREEN VALLEY - FABRIC CONDITIONER

Product code: 421

Use of substance / preparation: 421 : A fragrant liquid conditioning additive that softens and freshens, creating an easy iron finish on fabrics.

Company name: Valley Industrial Products
Unit 23A Hasting Wood Industrial Estate
Harbert Road
Edmonton
LONDON
N18 3HR
UK
Tel: 0208 884 3402
Fax: 0208 884 0655

2. HAZARDS IDENTIFICATION

Main hazards: No significant hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: 2-BROMO-2-NITROPROPANE-1,3-DIOL <1%
EINECS: 200-143-0 CAS: 52-51-7
[Xn] R21/22; [Xi] R37/38; [Xi] R41; [N] R50

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: No symptoms.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

4. FIRST AID MEASURES (ACTION)

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water.

Exposure hazards: In combustion emits toxic fumes of carbon dioxide.

Protection of fire-fighters: Wear self-contained breathing apparatus.

[cont...]

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers.

Clean-up procedures: Absorb into dry earth or sand.

7. HANDLING AND STORAGE

Storage conditions: Store in cool, well ventilated area.

Suitable packaging: Aluminium containers. Stainless steel. Teflon. Polyethylene.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**9. PHYSICAL AND CHEMICAL PROPERTIES**

State: Liquid

Colour: Pale blue

Odour: Sweet-smelling

Evaporation rate: Moderate

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: Non-viscous

Relative density: 0.95 - 1.05

pH: 1% = 6.5 - 7.5

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Materials to avoid: Strong oxidising agents.

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide.

11. TOXICOLOGICAL INFORMATION**12. ECOLOGICAL INFORMATION**

Persistence and degradability: Biodegradable.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: Not Classified.

SAFETY DATA SHEET
GREEN VALLEY - FABRIC CONDITIONER

IMDG / IMO

UN no: Not Classified.

IATA / ICAO

UN no: Not Classified.

15. REGULATORY INFORMATION

Hazard symbols: No significant hazard.

Safety phrases: S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Seveso II guideline: No

Water hazard class: 1 Classification by VwVwS

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.3: R21/22: Harmful in contact with skin and if swallowed.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.